

Fred/吴早顺
General Director

 No. 3, Xiangfeng Rd. Miubian Village, Liaobu Town,
Dongguan, 523423, Guangdong, China

 +86 13736991831  13736991831

 info@seonsing.com  www.seonsing.com  fredwu577

东莞顺成智能科技有限公司
Dongguan Seonsing Intelligent Tech Co., Ltd

SGS CE EMC LVD

SHD1811



COMPACT JET HAND DRYER



Aluminium Anodic Oxidation /
High-gloss / Automatic Touch-free
Infrared / LED indicate light



EPE Cotton
packed, Environment
Friendly, Safety
for Transportation



Technical Data.

SEONSSING

Clean your hands

Main features:

For those who want it all in a simple design, we advanced our products for the customers. This hand dryer is a wise choice for you.

- It dries hands in 9-11 seconds. It is energy efficient, durable, hygienic and flexible.
- Hygiene filter
The hygiene filter reduces harmful air when hand drying, it is easily removed for occasional cleaning and re-use, extending the dryer's service life.
- Long service time
The manufacturer's lab tested this product over 500,000 times without experiencing any problems.
- Easy installation
Make sure to remove top two screws on back of unit before attempting to remove cover for the first time. Remove the 2 cover mounting screws using the tamper-proof wrench supplied. Lift the cover to remove from base plate.. Attach base plate at the four corners to a smooth wall, drill holes and put in the anchors. This unit can be DIRECT WIRED as well. Please use a certified electrician for any direct wiring.
- It is definitely a perfect choice for restroom, lavatory, offices, restaurants, hotels, gyms, schools, etc.

Materials:


- Cover: Stainless steel 304
- Interior: Nylon + glass fiber

Specification

Voltage:	110-120V / 220-240V, 50/60 Hz
Power:	500W/1350W(controlled by switch)
Air Speed:	100 m/s
Effective airflow:	260 m³/h
Motor Type:	Carbon motor
Motor Thermal Protection:	Auto resetting thermostat turns unit at 115°C
Heater Element:	850W
Heater Thermal Protection:	Auto resetting thermostat turns unit at 115°C
Drying Time:	10-15 seconds
Operation:	Touch-free Infrared
Overtime Protection:	30 seconds auto shut off
Drip Proof:	Ip23
Isolation:	CLASS I
Noise level:	74dB@1m

Shipping information:

Net weight :	3.5 kgs
Gross weight (unit):	4 kgs
Packing size :	470*350*420mm (4pcs)
Packing weight:	16 kgs
20' GP load :	1736 pcs
40'HQ load :	3940 pcs
Available Colors:	Polished/brushed/white



SHD1811



COMPACT JET HAND DRYER

SEONSSING || Classical



EPE Cotton packed, Environment Friendly,
Safety for Transportation





Technical Data.

SEONSSING

Clean your hands



Main features:

For those who want it all in a simple design, we advanced our products for the customers. This hand dryer is a wise choice for you.


- It dries hands in 9-11 seconds. It is energy efficient, durable, hygienic and flexible.
- Hygiene filter
The hygiene filter reduces harmful air when hand drying, it is easily removed for occasional cleaning and re-use, extending the dryer's service life.
- Long service time
The manufacturer's lab tested this product over 500,000 times without experiencing any problems.
- Easy installation
Make sure to remove top two screws on back of unit before attempting to remove cover for the first time. Remove the 2 cover mounting screws using the tamper-proof wrench supplied. Lift the cover to remove from base plate.. Attach base plate at the four corners to a smooth wall, drill holes and put in the anchors. This unit can be DIRECT WIRED as well. Please use a certified electrician for any direct wiring.
- It is definitely a perfect choice for restroom, lavatory, offices, restaurants, hotels, gyms, schools, etc.

Materials:

- Cover: Stainless steel 304
- Interior: Nylon + glass fiber

Specification

Voltage:	110-120V / 220-240V, 50/60 Hz
Power:	500W/1350W(controlled by switch)
Air Speed:	100 m/s
Effective airflow:	260 m ³ /h
Motor Type:	Carbon motor
Motor Thermal Protection:	Auto resetting thermostat turns unit at 115°C
Heater Element:	850W
Heater Thermal Protection:	Auto resetting thermostat turns unit at 115°C
Drying Time:	10-15 seconds
Operation:	Touch-free Infrared
Overtime Protection:	30 seconds auto shut off
Drip Proof:	Ip23
Isolation:	CLASS I
Noise level:	74dB@1m



Shipping information:

Net weight :	3.5 kgs
Gross weight (unit):	4 kgs
Packing size :	470*350*420mm (4pcs)
Packing weight:	16 kgs
20' GP load :	1736 pcs
40'HQ load :	3940 pcs
Available Colors:	Polished/brushed/white

COMPACT JET HAND DRYER



SHD1812



SEONSSING || Classical



Luxurious Design



304 Stainless Steel



Fast Drying



Touch-free



EPE Cotton packed, Environment Friendly, Safety for Transportation



Technical Data.

SEONSSING

Clean your hands



Automatic Touch-free Infrared/LED indicate light/Stainless steel Brushed finish

Main features:

For those who want it all in a simple design, we advanced our products for the customers. This hand dryer is a wise choice for you.


- It dries hands in 9-11 seconds. It is energy efficient, durable, hygienic and flexible.
- Hygiene filter
The hygiene filter reduces harmful air when hand drying, it is easily removed for occasional cleaning and re-use, extending the dryer's service life.
- Long service time
The manufacturer's lab tested this product over 500,000 times without experiencing any problems.
- Easy installation
Make sure to remove top two screws on back of unit before attempting to remove cover for the first time. Remove the 2 cover mounting screws using the tamper-proof wrench supplied. Lift the cover to remove from base plate.. Attach base plate at the four corners to a smooth wall, drill holes and put in the anchors. This unit can be DIRECT WIRED as well. Please use a certified electrician for any direct wiring.
- It is definitely a perfect choice for restroom, lavatory, offices, restaurants, hotels, gyms, schools, etc.

Materials:

- Cover: Stainless steel 304
- Interior: Nylon + glass fiber

Specification


Voltage:	110-120V / 220-240V, 50/60 Hz
Power:	500W/1350W(controlled by switch)
Air Speed:	100 m/s
Effective airflow:	260 m³/h
Motor Type:	Carbon motor
Motor Thermal Protection:	Auto resetting thermostat turns unit at 115°C
Heater Element:	850W
Heater Thermal Protection:	Auto resetting thermostat turns unit at 115°C
Drying Time:	10-15 seconds
Operation:	Touch-free Infrared
Overtime Protection:	30 seconds auto shut off
Drip Proof:	Ip23
Isolation:	CLASS I
Noise level:	74dB@1m



Shipping information:

Net weight :	3.5 kgs
Gross weight (unit):	4 kgs
Packing size :	470*350*420mm (4pcs)
Packing weight:	16 kgs
20' GP load :	1736 pcs
40'HQ load :	3940 pcs
Available Colors:	Polished/brushed/white

Elbow/Press



Foam 
soap dispenser

Liquid 
soap dispenser


Hand disinfection

SEONSING NEW



SEONRING

Clean your hands

500ml

